

EAR, NOSE, THROAT & ALLERGY

WM. ROBERT STEWART, JR., M.D.

MARC D. ROSENTHAL, M.D.

MEDICATIONS TO AVOID PRIOR TO ALLERGY SKIN TESTING

<u>BRAND NAME(S)</u>	<u>GENERIC</u>	<u>DAYS TO AVOID</u>
<input type="checkbox"/> Alavert, Claritin, Claritin-D, Clarinex	Loratidine	7
<input type="checkbox"/> Allegra, Allegra-D	Fexofenadine	7
<input type="checkbox"/> Benadryl	Diphenhydramine	3-4
<input type="checkbox"/> Tavist	Clemastine	3-4
<input type="checkbox"/> Zyrtec, Zyrtec-D	Cetirizine	7
<input type="checkbox"/> Xyzal	Xyzal	7
<input type="checkbox"/> Vistaril, Atarax	Hydroxyzine	7
<input type="checkbox"/> Xanax	Alprazolam	7
<input type="checkbox"/> Klonopin	Clomazepam	7
<input type="checkbox"/> Elavil	Amitriptyline	7
<input type="checkbox"/> Sinequan	Doxepin	7
<input type="checkbox"/> Trazadone	Trazadone	7
<input type="checkbox"/> Seroquel	Seroquel	7
<input type="checkbox"/> Phenergan	Promethazine	3
<input type="checkbox"/> Compazine	Compazine	3
<input type="checkbox"/> Tofranil	Imipramine	10

NASAL SPRAYS/EYE DROPS

- Astelin: 7 days
- Astepro: 7 days
- Patanase: 5 days
- Pataday: 5 days
- Patanol: 5 days

**** For all other over-the-counter or prescription antihistamines and medications for treating cough, cold, and sleep problems, DO NOT take for 2 days prior to testing.**

7103 Baker's Bridge Ave, Ste 101
Brentwood, TN 37027
P: 615.739.6646
F: 615.739.6647

1609 Rosewood Drive
Columbia, TN 38401
P: 931.381.0831
F: 931.380.0750